

Exam : 1T6-323

Title: Microsoft Windows 2000Network Analysis and
Troubleshooting

Version : DEMO

- 1. SNTP is a protocol used to:
- A. Replace NetBIOS
- B. Synchronize time
- C. Transfer mail
- D. Register and resolve host names

Answer: B

- 2. Which term describes a database of forest-wide information in Windows 2000?
- A. Global Catalog
- B. Tree
- C. Realm
- D. Domain

Answer: A

- 3. In _____, the concept of a read-only BDC is gone.
- A. Legacy NT 4 domains
- B. Active Services
- C. SMTP
- D. Active Directory

Answer: D

4. Which term describes a database of forest-wide information that holds an abbreviated listing of Active

Directory Information?

- A. Trees
- B. Global Catalog
- C. Enhanced DNS
- D. Realms

Answer: B

- 5. True or False? In Windows 2000, BDCs are read-only controllers, just as with NT.
- A. True
- B. False

Answer: B

- 6. Kerberos is a protocol used to:
- A. Replace NetBIOS
- B. Access directory services
- C. Authenticate
- D. Register and resolve host names

Answer: C

- 7. _____ is accessed via LDAP protocols.
- A. LSARPC
- B. Active Directory
- C. HTTP
- D. Kerberos

Answer: B

- 8. WINS is _____ in a Windows 2000 environment.
- A. Available, but may be turned off
- B. Removed completely
- C. Used in preference to Active Directory
- D. Replaced by Browser protocol

Answer: A

- 9. Active Directory is a _____ directory service.
- A. Linear
- B. Flat
- C. Embedded object
- D. Hierarchical

Answer: D

- 10. Direct Hosting (SMBTCP) is a protocol "shim" used to:
- A. Replace NetBIOS
- B. Access directory services
- C. Authenticate
- D. Register and resolve host names

Answer: A

- 11. The LDAP protocol is used by a domain DHCP server to determine if it is ______.
- A. In a domain or workgroup
- B. Operating within its scope
- C. Using APIPA or RFC 1918 addresses
- D. Authorized to issue IP addresses

Answer: D

12. When a DHCP server comes on-line in a domain, it will query ______ to discover if it is authorized to provide DHCP services.

A. Another DHCP server

- B. Active Directory
- C. Local routers
- D. APIPA clients

Answer: B

- 13. DHCP packet format is compatible with _____.
- A. SMB
- B. PPP
- C. SLIP
- D. BOOTP

Answer: D

- 14. DHCP Relay is used when:
- A. DHCP clients are separated by a router
- B. DHCP servers are separated by a router
- C. DHCP clients and servers are separated by a router
- D. DHCP server is also the DNS server

Answer: C

15. The image below is a view of the Sniffer Portable Summary window.

1	srv1	[255.25!	DHCP	Request, Message type: DHCP Inform	0.000.000
2	srv1	[255.25!	DHCP :	Reply, Message type: DHCP Ack	0.000.287
3				Request, Message type: DHCP Inform	8.012.313
4				Reply, Message type: DHCP Ack	0.000.281
5				Request, Message type: DHCP Inform	7.461.313
6				Reply, Message type: DHCP Ack	0.000.271
6 7				Request, Message type: DHCP Inform	8.011.140

If a Windows NT DHCP server sees this exchange from an authorized domain Windows 2000 DHCP

server, it will:

- A. Cease issuing IP addresses
- B. Begin issuing IP addresses
- C. Self-authorize
- D. Have no effect

Answer: D

16. Which DHCP server message is sent to a client refusing a request for configuration?

- A. Discover
- B. Offer
- C. NAK
- D. Decline
- Answer: C

17. Which DHCP client message is sent to a server relinquishing a network address and canceling the remaining lease?

- A. Discover
- B. Offer
- C. Request
- D. Release

Answer: D

- 18. APIPA addresses are in the range:
- A. 10.0.0/24
- B. 172.16.0.0-172.32.255.255
- C. 192.168.0.0/16
- D. 169.254.0.0/16

Answer: D

- 19. What does the DHCP protocol provide to a client? (Choose all that apply.)
- A. IP address
- B. Dialect negotiation
- C. Default gateway
- D. Subnet mask

Answer: ACD

- 20. Which DHCP client message is sent to a server requesting offered configuration parameters?
- A. Discover
- B. Offer
- C. Request
- D. Ack
- Answer: C