认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

http://www.itrenzheng.com

Exam : 300-460

Title : Implementing and

Troubleshooting the Cisco

Cloud Infrastructure

Version: DEMO

- 1. Which three statements about server pools are true? (Choose three.)
- A. Cisco USC Director Displays only the managed servers in a server pool, but the size of the pool includes all servers.
- B. Servers pools cannot be assigned to a Cisco USC Director group.
- C. A given server can belong only to a specific server pool.
- D. A server pool contains a set of servers that share the same attributes such as server type, amount of memory, local storage, type of CPU, or local drive configuration.
- E. A server pool only includes servers from a specific chassis in the system.
- F. If your system implements multitenansy through organizations, you can designate one ore more server pools to be used by a specific organization.

Answer: ADF Explanation:

Reference:

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/ucs-mgmt-guide/4-0/

b Cisco UCS Director UCS Management Guide 40/


b Cisco UCS Director UCS Management Guide 40 chapter 0110.html

2.A Cisco USC Director administrator is configuring his pod on the Physical > Compute Tab.

Which three tabs are available under this menu? (Choose three.)

- A. UCS Chassis
- B. Datastore Capacity Report
- C. CloudSense
- D. Chargeback
- E. Compute Servers
- F. Compute Accounts

Answer: AEF Explanation:



3. Which four options are required on a DCHP server to enable PXE boot? (Choose four.)

A. boot server host name (TFTP server hostname or IP address)

B. subnet mask

C. DNS server

D. lease time

E. domain name

F. bootfile name

G. router (Gateway)

Answer: ABCG Explanation:

Explanation.

Reference: Refer to table 1 of the link:

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/bma-

install-config/4-1/b_ucsd_bma_install_config_guide_41/

b_ucsd_bma_install_config_guide_41_chapter_0100.html

4.A Cisco USC Director administrator is viewing the workflow input and output status of a service request. Which option lists the steps that accomplish this task?

A. On the menu bar, choose Organizations > My Approvals.

Choose a user group.

Click the Service Request tab.

Choose a service request.

Click View Details, and choose the Log tab.

- B. On the menu bar, choose Organizations > Virtual Resources. Click the Service Requests tab. Choose the service request. Click View Details, and choose the Input/Output tab.
- C. On the menu bar, choose Organizations > Service Requests. Click the Service Requests tab. Choose the service request. Click View Details, and choose the Input/Output tab.
- D. On the menu bar, choose Organizations > Service Requests. Choose a user group. Click the Service Request tab. Choose a service request. Click View Details, and choose the Log tab.

Answer: D Explanation:

Reference:

http://www.cisco.com/c/en/us/td/docs/cloud-systems-management/intercloud-fabric/2-1-2/user-guide/icf/b Cisco Intercloud Fabric User Guide Release 2 1 2/

b Cisco Intercloud Fabric User Guide Release 2 0 chapter 01000.html

5.An administrator is installing a hypervisor on a Cisco USB B-Series Blade Server. In which three locations can the OS image be installed in Cisco UCSM? (Choose three.)

A. local disk

B. CD-ROM

C. PXE

D. LAN boot

E. SAN

F. USB

Answer: ACE **Explanation:**

 $Reference: http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/guide/1-0-2/unified_computing/ucs/sw/gui/config/gui/$

b_GUI_Config_Guide/GUI_Config_Guide_chapter25.pdf