

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **500-260**

**Title** : Cisco ASA Express Security

**Version** : DEMO

1.Which security technique should be implemented to remediate after a threat is discovered?

- A. NGIPS ruleset
- B. retrospection
- C. web security deployment
- D. application control

**Answer: B**

2.Refer to the exhibit.

```
policy-map asasfr_policy
class class-default
sfr fail-close
!
service-policy asasfr_policy interface outside
```

Which statement describes the effect of the configuration?

- A. The SFR is configured to passively inspect traffic on all adaptive security appliance interfaces.
- B. If the SFR fails, redirected traffic that matches the service policy from the outside will be dropped.
- C. If the SFR fails, all traffic from the outside will be dropped.
- D. The SFR is configured as an inline inspector of traffic on all adaptive security appliance interfaces.

**Answer: B**

3.Which option is correct for configuring the SRF for passive, out-of-band traffic evaluation?

- A. sfr fail-close oob
- B. sfr monitor-only
- C. sfr fail-open monitor-only
- D. sfr passive-mode

**Answer: B**

4.An SFR module has been installed in the adaptive security appliance. Which command must be executed on the module to establish connectivity to FireSIGHT Management Center?

- A. system install manager
- B. config manager fmc host
- C. config manager add
- D. system manager fmc

**Answer: B**

5.Which three policy types are configured using Fire SIGHT Management Center? (Choose three.)

- A. remote access
- B. file
- C. health
- D. network discovery
- E. malware
- F. access list

G. firewall

**Answer:** B,C,D