IT认证电子书

质　量　更　高　　服　务　更　好

半年免费升级服务

http://www.itrenzheng.com

Exam : **500-451**

Title : Cisco Unified Access Systems Engineer Exam

Version : DEMO

1.If customers want to automate and simplify the deployment of one or more new Cisco Catalyst switches, which feature should they use?
A. Cisco Smart Install
B. Cisco Smart Deploy
C. Cisco Auto Deploy
D. Cisco Auto Config
Answer: A

2.When Cisco Catalyst 3850 Switches are implemented in a stack configuration, which command is used to verify the role of each switch in the stack, and what are the two roles supported?
A. show switch stack role; active/standby
B. show switch detail; active/standby
C. show switch member; master/member
D. show stack detail; master/member
Answer: B

3.Which platform supports SSO?
A. Nexus 1000V Series Switches
B. Catalyst 2960 Series Switches
C. Catalyst 3850 Series Switches
D. Catalyst 3750-X Series Switches
Answer: C

4.What is the best way to design a network to ensure that Cisco NSF operates according to specifications?
A. Ensure that all attached neighbors are Cisco NSF-aware.
B. Ensure that the local switch is the NSF master.
C. Ensure that VSS NSF is enabled.
D. Ensure that IOS ISSU is enabled.
Answer: A

5.Which three components are part of a Unified Access solution? (Choose three.)
A. One Policy (Cisco ISE)
B. One Management (Cisco Prime)
C. One Network (wired, wireless, VPN access)
D. One Controller (Converged)
E. One Solution
F. One Security
Answer: A,B,C