

Exam : 642-373

Title: Cisco Express Foundationfor Systems Engineers

Version : Demo

1. Which definition best describes the implementation service component within the implement phase?

A. providing a step-by-step plan that details the installation and service-commission tasks required in

order to create a controlled-implementation environment that emulates a customer network

B. assessing the ability of site facilities to accommodate proposed infrastructure changes

C. developing and executing proof-of-concept tests, validating high-level infrastructure design, and identifying any design enhancements

D. installing, configuring, and integrating systems components based on an implementation plan developed in earlier phases

E. improving a customer's infrastructure security system

Answer: D

2. Which Cisco security tool can best determine if a Cisco ISR router is properly secured?

- A. Cisco SDM Security Audit
- **B. Cisco Security MARS**
- C. Cisco Security Agent MC
- D. Cisco Security IntelliShield
- E. CAN

Answer: A

3.In the plan phase, network readiness assessment addresses which customer need?

A. an assessment of the preparedness of the customer's existing system infrastructure to support a proposed solution

B. a comprehensive design that has been customized based on the operations processes, network management processes, and tools of its system

C. an in-depth assessment of the operational environment required to support the operation of both the current and planned solutions

D. the optimal technologies for supporting its business requirements and objectives

Answer: A


4.In the design phase, which service component provides the customer with a comprehensive design?

- A. Implementation Plan
- B. Detailed Design Development
- C. Project Kick-off
- D. Staging Plan
- E. High-Level Design

Answer: B

5.Refer to the exhibit. What are two Cisco IOS commands that would verify connectivity between routers

R1 and R2? (Choose two.)



- A. show cdp neighbor
- B. show controllers serial
- C. show frame-relay Imi
- D. show ip route
- E. show running-config

Answer: A, D