

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **7498X**

**Title** : Avaya Oceanalytics insights  
Integration and Support

**Version** : DEMO

1. After running the installation script for Avaya software on the Analytics™ DB server, which log file must be checked to confirm that the installation is successful?

- A. db\_install.log
- B. install\_oracle\_db.log
- C. Oracle\_install\_db.log
- D. install\_db.log

**Answer:** A

**Explanation:**

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (64)

2. Which script is used to install Analytics Service and with which user must you run this script?

- A. root, ./install\_analytics\_service.sh
- B. oracle, ./install\_Analytics\_Service.sh
- C. oracle, ./install\_analytics\_service.sh
- D. root, ./analytics\_service.sh

**Answer:** A

**Explanation:**

Reference: <https://downloads.avaya.com/css/P8/documents/101051617> (67)

3. A customer wants to debug the logs files for the Oracle Component Installation on Avaya Analytics™ Database Servers.

Which directory location in the servers contain the log files for troubleshooting Oracle Component Installation?

- A. /home/oracle/app/orainventory/logs
- B. /home/oracle/orainventory/logs
- C. /var/home/oracle/app/logs
- D. /home/InstallFiles/avaya

**Answer:** B

**Explanation:**

Reference: <https://downloads.avaya.com/css/P8/documents/101051617>

4. To confirm that there are no errors preventing the OSA server from running successfully, which three log files can the customer review after installing the OSA Server? (Choose three.)

- A. AdminData.log – Monitor for Admin data PUMPUP events.
- B. AvayaAnalytics\_InputAdaptor.log – Monitor for UCM data PUMPUP events.
- C. AvayaAnalytics\_AdminData.log – Monitor for Admin data PUMPUP events.
- D. Server.log – Monitor for Application Errors.
- E. InputAdaptor.log – Monitor for UCM data PUMPUP events.

**Answer:** BCD

5. Refer to the exhibit.

| Applicati...          |   |         |
|-----------------------|---|---------|
| Deployed Applications |   |         |
|                       | Name  | State   |
| <input type="radio"/> | routingpointmeasuresmovingwindow.RoutingPointMVMMeasures  | RUNNING |
| <input type="radio"/> | IntervalController.IntervalController                     | RUNNING |
| <input type="radio"/> | routingervicebyagent.RoutingServiceByAgent                | RUNNING |
| <input type="radio"/> | agentbyaccount.AgentByAccount                             | RUNNING |
| <input type="radio"/> | agentbyaccountmovingwindow.AgentByAccountMeasures         | RUNNING |
| <input type="radio"/> | AgentMeasures.Project1                                    | RUNNING |
| <input type="radio"/> | agentbyroutingmovingwindow.AgentByRoutingMeasures         | RUNNING |
| <input type="radio"/> | RoutingPointMeasures.RoutingPoint                         | RUNNING |
| <input type="radio"/> | snmp.snmp   | RUNNING |
| <input type="radio"/> | com.bea.wievs.dataservices                                | RUNNING |
| <input type="radio"/> | routingsevicesmeasuresmovingwindow.RoutingServiceMeasures | RUNNING |
| <input type="radio"/> | ContactDetailApp.ContactDetailProj                        | RUNNING |
| <input type="radio"/> | admindata.admindata                                       | RUNNING |
| <input type="radio"/> | sitemeasuresmovingwindow.SiteMVMMeasures                  | RUNNING |
| <input type="radio"/> | RoutingServiceMeasures.RoutingService                     | RUNNING |
| <input type="radio"/> | agentgroup.AgentGroup                                     | RUNNING |
| <input type="radio"/> | agenttimeinstate.AgentTimeInStateMeasures                 | RUNNING |
| <input type="radio"/> | OceanalInputAdaptor.RefInputAdaptor                       | RUNNING |
| <input type="radio"/> | agentmovingwindow.AgentMeasures                           | RUNNING |

How many total applications must be in RUNNING state after successful installation of the Avaya Oceanalytics OSA server?

- A. 18
- B. 16
- C. 20
- D. 23

**Answer: C**