

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam : EE0-021**

**Title : Atg Commerce Certification  
Exam**

**Version : DEMO**

1. Which two steps are necessary to add a new shipping method? (Choose two.)

- A. create a component of type `atg.commerce.pricing.ShippingMethod`
- B. create a component of type `atg.commerce.pricing.FixedPriceShippingCalculator`
- C. add the new shipping method component to the `ShippingPricingEngine` component's `preCalculator` property
- D. add the new shipping method component to the `ShippingPricingEngine` component's `shippingMethod` property

Answer: BC

2. What are two functions of the `CartModifierFormHandler`? (Choose two.)

- A. reprices the Order
- B. adds items to an Order
- C. schedules the Order for future fulfillment
- D. retrieves the list of payment groups associated with the Order

Answer: AB

3. What should you do to prevent errors during submission in the checkout caused by session invalidation?

- A. You set the `sessionExpirationURL` property of the form handler to redirect the user to an appropriate page after submission.
- B. You ensure that the `Profile.securityStatus` is not anonymous before rendering the form and if it is anonymous, redirect the user to an appropriate page.
- C. You create a servlet that will check the `SessionManager.validSessions` property and ensure this session is valid when the form is displayed. If session is invalid, you redirect the user to an appropriate page.
- D. You check the `creationTime` of the user's session and ensure that the difference subtracted from current time is not greater than the `SessionManager.sessionInvalidationTime` on the page. If it is longer than the `sessionInvalidationTime`, you redirect the user to an appropriate page.

Answer: A

4. What are two ways to display items in an order in a JSP? (Choose two.)

- A. iterate through the `CartModifierFormHandler.productId` property

- B. iterate through the CartModifierFormHandler.order.commerceltems property
- C. iterate through the CartModifierFormHandler.order.ShippingGroups property and then iterate through the ShippingGroup.Commerceltems property
- D. iterate through the CartModifierFormHandler.order.ShippingGroups property and then iterate through the ShippingGroup.CommerceltemRelationships property

Answer: BD

5. Which two statements about the functions of the ShippingGroupFormHandler are true? (Choose two.)

- A. It allows you to split shipping by line item.
- B. It allows you to split shipping by payment group.
- C. It contains a list of CommerceItemShippingInfo objects.
- D. It loads the ShippingGroupMapContainer with the authorized shipping groups for the current user.

Answer: AC

6. What are three main tasks in the PaymentGroupFormHandler? (Choose three.)

- A. create a new PaymentGroup for use in a user's current Order
- B. split extra CommerceIdentifierPaymentInfo objects by amount
- C. handle applying CommerceIdentifierPaymentInfo associations to the current Order
- D. specify a default PaymentGroup to be used for a CommerceIdentifier that is not explicitly assigned to a PaymentGroup

Answer: BCD

7. In which two cases is it recommended that you create repository item sub-types or modify the sku repository item rather than use dynamicAttributes? (Choose two.)

- A. when adding multiple attributes to a sku
- B. when using an attribute represented by a number
- C. when defining an attribute that can be different for all SKUs
- D. when defining an attribute that is specific to a small subset of SKUs

Answer: AD

8. When would you use the CatalogItemLookupDroplet instead of the ItemLookupDroplet to look up items in a catalog repository?

- A. when you want to search for an item on a gift list
- B. when you want to search more than one repository for an item
- C. when you want to search for an item only from the current user's catalog
- D. when you want to search for a list of possible items that match a specific criteria

Answer: C

9. What must you do to sell multiple items as a bundle?

- A. offer a category of products as a SKU
- B. assign multiple SKUs into a product bundle
- C. assign the appropriate quantity of each SKU to a SKU bundle
- D. write a custom shopping cart handler to add related products to the cart when necessary

Answer: C

10. When searching custom catalogs, what do you do to ensure that all catalogs are searched if no user catalog is defined?

- A. You do nothing. This is the default behavior.
- B. set the currentCatalog property of the CatalogSearchFormHandler class to the default catalog
- C. set the nullCatalogMeansNoResult property of the CatalogSearchFormHandler class to false
- D. set the catalogPropertyName property of the CatalogSearchFormHandler class to the default catalog

Answer: C