

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam : HP0-335**

**Title : HP OpenView Operations  
(OVO) I8.x UNIX**

**Version : DEMO**

**1.Choose four benefits of the HP OVO "State-based Browser" feature from the list below. Select FOUR.**

- A.new message replaces previous message
- B.messages are only displayed in the Message Browser if the desired state is NOT met
- C.status of objects (MsgGroup, Service, Node) is updated
- D.provides a dedicated filter browser for all messages being in a certain state - e.g. "all critical", "all major"
- E.the "state-based browser" displays exactly the subset of messages filtered via the selected service icon in the OVO Service Navigator service map.
- F.browser reflects the current status of the object
- G.operator is not distracted by outdated messages.

**Correct:A C F G**

**2.The Instruction Text Interface is a useful tool because it allows \_\_\_\_\_.**

- A.operators to type in instructions in the annotation box for a message.
- B.the OVO administrator to type instructions into each message condition.
- C.the integration of an instruction application, which is called dynamically for each message.
- D.operators to read other annotations and perform instructions based on the input.

**Correct:C**

**3.The embedded performance component collects basic metrics and stores them. The values of these metrics are stored \_\_\_\_\_.**

- A.in the Oracle database
- B.on the management server in a proprietary data store
- C.in an xml file on the managed node
- D.in a proprietary database on the managed node

**Correct:D**

**4.When configuring the feature "notification when a new message with a specific severity comes into the browser" in the Java GUI, the administrator can choose \_\_\_\_\_.**

- A.whether a pop-up dialog box should come up or an application must be locally executed
- B.the severity, the object and the text that must match before receiving a notification
- C.whether the pop-up dialog box should also come up in the Motif GUI
- D.whether the notification must be forwarded to the notification services or to the event correlation manager

**Correct:A**

**5.After adding the proposed managed nodes to the node list and clicking the Agent Software button, the administrator clicks on the [OK] button then an additional terminal window opens. What installation script will be run?**

- A.opcuxinst
- B.opcrinst
- C.inst.sh
- D.opcinst.sh

**Correct:C**

**6.What three kinds of data are stored in the OVO Oracle database? Select THREE.**

- A.OVO messages (events)
- B.ovw maps (like lpmmap)
- C.OVO Audit information

- D.OVO actions/applications/scripts
- E.OVO configuration (policies, users, message groups, etc.)

**Correct:A C E**

**7.Where can you set service names for messages in OVO ? Select THREE.**

- A.In the Template and condition window
- B.In the XML service file
- C.In the Regroup Condition No. window
- D.By using the opcmmsg command and specifying the service\_id parameter
- E.By using the opcservice command
- F.By right mouse clicking on the message and choosing service Name?from the list

**Correct:A C D**

**8.Which of the following statements about OVO Internal Message Correlation are TRUE? Select TWO.**

- A.Message Correlation is the name for Event Correlation Services (ECS) runtime component that is shipped free with OVO.
- B.Message Correlation is used to correlate identical/similar messages on the OVO agent and server.
- C.Message Correlation makes possible the "state-based" Browser in OVO .
- D.Message Correlation is a free Smart Plug-In to correlate standard operating system messages for HP-UX, Solaris and Microsoft Windows.

**Correct:B C**

**9.How can you show an overview of the service hierarchy in Service Navigator? Select TWO.**

- A.By selecting View -> Navigation Panel in the menu
- B.By selecting part of the Service Graph, right mouse clicking on Navigation Panel
- C.By running opcsvcatrr with the navig attribute
- D.By clicking on the goggle Navigation Panel?button in the toolbar

**Correct:A D**

**10.The Message Counter feature in the OVO GUI \_\_\_\_\_.**

- A.works only with messages having explicitly set the Message Key attribute
- B.works only with messages having explicitly set the Message Key attribute and having the "suppress and count duplicate messages on the OVO management server" flag enabled
- C.works for any kind of messages immediately
- D.works only when the "suppress and count duplicate messages on the OVO management server" flag is switched ON

**Correct:D**