

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **HP0-628**

**Title** : Implementing HSx80  
Compaq Storage Solutions  
for UNIX

**Version** : Demo

1.What is the maximum number of supported cache modules in an MA8000 storage subsystem?

- A. 1
- B. 2
- C. 3
- D. 4


Answer: B

2.Where is the first place that data are stored after arriving in the HSG80 controller?

- A. disk
- B. cache
- C. NVRAM
- D. static memory

Answer: B

3.Exhibit:



What number matches the cache module used by the top HSG80 controller?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: E

4.How many device-side single-ended SCSI buses does the HSG80 controller support?

- A. 2
- B. 6
- C. 7
- D. None, all buses are differential.

Answer: B

5.What is the maximum number of StorageWorks Model 4354 device enclosures supported by the HSG80?

- A. 1
- B. 3
- C. 4
- D. 6

Answer: B

6.How many 1.0 inch disk drives are supported in the StorageWorks Model 4350 device enclosure?

- A. 8
- B. 10
- C. 14
- D. 50

Answer: B

7.What is the maximum number of fan modules supported in the M2200 shelf?

- A. 1
- B. 2
- C. 3
- D. 4


Answer: C

8.Under normal operating conditions, the reset button on the Operator Control Panel (OCP) of an HSG80 controller\_\_\_\_\_ .

- A. remains off
- B. remains on
- C. turns amber
- D. blinks once per second

Answer: D

9.Exhibit:



If the first four LEDs in the exhibit are on solid, what is the condition of the controller?

- A. Controller is running.
- B. Controller has a fault.
- C. Controller is shut down.
- D. Ports 1, 2, 3 have misconfigured drives.

Answer: C

10.What does the green LED in the shape of a canister on a universal drive indicate?

- A. drive is idle
- B. drive activity
- C. drive has failed
- D. drive is operational

Answer: D