

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **HP0-785**

**Title** : NonStop Hardware Install,  
Maintain, Upgrade

**Version** : DEMO

**1.Which SCF command assigns IP addresses to each path of a CLIP on a SWAN concentrator?**

- A.add path \$SW03.1.A, IPADDRESS 192.168.5.100 add path \$SW03.1.B, IPADDRESS 192.168.5.101
- B.add path \$ZZWAN.#SW03.1.A, IPADDRESS 192.168.5.100 add path \$ZZWAN.#SW03.1.B, IPADDRESS 192.168.7.100
- C.add path \$ZZWAN.#SW03.1.A, IPADDRESS 192.168.5.100 add path \$ZZWAN.#SW03.1.B, IPADDRESS 192.168.5.101
- D.add path \$SW03.1.A, IPADDRESS 192.168.5.100 add path \$SW03.1.B, IPADDRESS 192.168.7.100

**Correct:B**

**2.Which SCF command changes the node name to \MEXICO?**

- A.alter process \$zexp,system\_name \mexico
- B.alter subsys \$zzkrn,system\_name \mexico
- C.alter process \$zzkrn, system\_name \mexico
- D.alter subsys \$zzwan, system\_name \mexico

**Correct:B**

**3.Which SCF command changes the alternate name of a disk drive?**

- A.rename disk \$data,label \$data5
- B.alter disk \$data,altname \$data5
- C.alter disk \$data,label \$data5
- D.rename disk \$data,altname \$data5

**Correct:B**

**4.Which command adds the ATM subsystem manager?**

- A.TACL> ATMASM/, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZKRN.#ZZATM, program \$system.system.ATMASM, startmode kernel/
- B.SCF add process \$ZZATM, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel
- C.TACL> ATMASM/autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel/
- D.SCF add process \$ZZKRN.#ZZATM, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel

**Correct:D**

**5.Which SCF command changes the interval between loss of AC power and a power fail condition to 40 seconds?**

- A.ALTER PROCESS \$ZZKRN, POWERFAIL\_DELAY\_TIME 40
- B.ALTER PROCESS \$ZZKRN, SYSTEM\_RIDE\_THROUGH 40
- C.ALTER SUBSYS \$ZZKRN, POWERFAIL\_DELAY\_TIME 40
- D.ALTER SUBSYS \$ZZKRN, SYSTEM\_RIDE\_THROUGH 40

**Correct:C**

**6.What is used to configure MSP users?**

- A.TSM service connection
- B.ADDUSER command
- C.TSM low level link
- D.SP tool

**Correct:C**

**7.Which SCF command makes a TRSA participate on the ring as a monitor?**

- A.alter PIF T2153.0.A,monitor on
- B.alter ADAPTER T2153.0.A,monitor on
- C.alter PIF T2153.0.A, activemonitor on
- D.alter ADAPTER T2153.0.A, activemonitor on

**Correct:C**

**8.Which SCF command changes the speed of a TRSA from 4Mbps to 16Mbps?**

- A.alter ADAPTER,T0153,speed 16
- B.alter PIF,T0153.0.A,speed 16
- C.alter ADAPTER,T0153,ringspeed 16
- D.alter PIF,T0153.0.A,ringspeed 16

**Correct:D**

**9.Which SCF command adds a ServerNet/FX adapter to the Y ring?**

- A.add adapter \$ZZFOX.#Y, location (1,1,53), clusternum 5
- B.add LBU \$ZZFOX.#Y, location (1,1,54), clusternum 5
- C.add LBU \$ZZFOX.#Y, location (1,1,53), clusternum 5
- D.add adapter \$ZZFOX.#Y, location (1,1,54), clusternum 5

**Correct:B**

**10.Which SCF command adds a X.25 line to a SWAN concentrator?**

- A.add line \$X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, reysize 32767, adapter SW01,clip 2, line 0, startdown
- B.add line \$ZZWAN.#X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, reysize 32767, adapter SW01,clip 2, line 0, startdown
- C.add device \$ZZWAN.#X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, reysize 32767, adapter SW01,clip 2, line 0, startdown
- D.add device \$X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, reysize 32767, adapter SW01,clip 2, line 0, startdown

**Correct:C**

**11.Which SCF command enables automatic configuration and starting of disk drives?**

- A.alter device \$zzsto, autoconfig on, autostart on
- B.alter config \$zzsto, autoconfig on, autostart on
- C.alter process \$zzsto, autoconfig on, autoconfig on, autostart on
- D.alter subsys \$zzsto, autoconfig on, autostart on

**Correct:D**

**12.Which SCF command adds and configures the SANMAN process?**

- A.add process \$ZZWAN.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- B.add process \$ZZKRN.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- C.add process \$ZZFOX.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- D.add process \$ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU

FIRSTOF (02,03,04,05),hometerm \$zhome,startmode system

**Correct:B**

**13.Which SCF command adds the FOX monitor process?**

A.add process \$ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

B.add process \$ZZWAN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

C.add process \$ZZLAN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

D.add process \$ZZKRN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

**Correct:D**

**14.Which file must be edited with TCP/IP information when connecting a TSM workstation to a public LAN?**

A.c:\zservice\tsm.ini

B.\$system.zservice.tsmini

C.c:\zsupport\tsm.ini

D.\$system.zsupport.tsmini

**Correct:B**

**15.Which tool changes the system topology from Tetra 8 to Tetra 16?**

A.SP tool

B.TSM service connection

C.SCF alter topology

D.TSM low level link

**Correct:D**

**16.Which TSM tool locates TSM ALARM details?**

A.SP tool

B.low level link

C.inventory tool

D.service connection

**Correct:D**

**17.When installing a NonStop Kernel release, which document determines relevant IPMs?**

A.SPML document

B.IPM README file list

C.IPM installation document

D.recommended IPM list

**Correct:D**

**18.Which devices are replaceable using the guided replacement toolkit? Select TWO.**

A.PMCU

B.PWRCRU

C.FESA

D.CCSA

E.SNDA

**Correct:B E**

**19.Which components must be configured and started on the customer's TSM console for the GCSC to dial-in?**

- A. Carbon Copy and low level link
- B. Carbon Copy and RAS
- C. notification director and RAS
- D. notification director and Carbon Copy

**Correct: B**

**20.The SP tool has identified a faulty X fabric cable between enclosure 1 and enclosure 3. Which connector on the SEB in enclosure 1 is affected?**

- A. 1
- B. 2
- C. 3
- D. 4

**Correct: B**