

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam : HP0-J36**

**Title : Designing and Implementing  
HP LeftHand SAN Solutions**

**Version : Demo**

1. Which statement about volumes is correct? (Select three.)

- A. Volumes can be part of different clusters.
- B. Each volume belongs to a single cluster.
- C. For database applications, different volumes should be used for database files and log files.
- D. Volumes in the same cluster must have the same replication level.
- E. Volumes can be migrated to different clusters within the same management group.
- F. Additional volumes require additional storage nodes in the cluster.

**Answer: BCE**

2. Where is RAID configured in HP LeftHand SAN solutions?

- A. at the volume level
- B. at the storage node level
- C. at the cluster level
- D. at the management group level

**Answer: B**

3. Which types of host bus adapters (HBA) can be used for the iSCSI protocol? (Select two.)

- A. SW iSCSI initiator without a NIC (network interface card)
- B. iSCSI HBA with TCP offload engine (TOE)
- C. Fibre Channel HBA
- D. NIC with SW iSCSI initiator
- E. iSCSI HBA with TCP TOE SW iSCSI initiator

**Answer: BD**

4. Which statements about iSCSI are correct? (Select two.)

- A. iSCSI does not offer any security features.
- B. iSCSI installation is less complex than Fibre Channel installation.
- C. iSCSI is only supported by Microsoft Windows operating systems.
- D. iSCSI is available for the most common OS platforms.
- E. iSCSI is a parallel data protocol.

**Answer: BD**

5. Which statement is true about the iSCSI initiator?

- A. The iSCSI initiator is only active during read operations.
- B. The iSCSI initiator represents the LUNs.
- C. The iSCSI initiator resides on the host and connects to the targets.
- D. The iSCSI initiator is a software package running on the host.

**Answer: C**