

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **HP5-T01D**

**Title** : Delta - Supporting HP  
Industry Standard Server  
Solutions

**Version** : DEMO

1. Where can you verify the status of an external DVD-ROM drive in a c7000 enclosure?

- A. Active Health Log
- B. Integrated Management Log
- C. Virtual SAS Manager
- D. Insight Display

**Answer: D**

2. What should be installed on a ProLiant Gen8 server to display operating system information within the iLO 4 GUI?

- A. HP Management Agents
- B. System Management Home Page
- C. Agentless Management Service
- D. ProLiant Support Pack

**Answer: B**

3. Which button should you press to enter the RBSU during POST?

- A. F8
- B. F9
- C. F11
- D. F12

**Answer: B**

4. Which steps should you perform to save a Virtual Connect configuration?

- A. enclosure setting, configuration scripts, show config, save
- B. enclosure setting, configuration scripts, inventory
- C. from CLI: show all > cfg.txt
- D. VCM, Tools, Backup/Restore Domain Configuration

**Answer: A**

5. Why should you use an electrostatic discharge (ESD) wrist strap when replacing parts such as memory DIMMs?

- A. It prevents the part from being damaged by static electricity.
- B. It incorporates high resistance and dissipates electrical charges into the ozone.
- C. A 48 V DC PSU will contribute to higher static electricity.
- D. A current of more than 75 mA can kill someone.

**Answer: B**