

Exam : JN0-635

Title:Security, Professional(JNCIP-SEC)

Version : DEMO

1.Which two VPN features are supported with CoS-based IPsec VPNs? (Choose two.)

A. IKEv2

- B. VPN monitoring
- C. dead peer detection

D. IKEv1

Answer: A,C

Explanation:

Reference:

https://www.juniper.net/documentation/en_US/junos/topics/topic-map/secuirty-cos-based-ipsec-vpns.html

2.According to the log shown in the exhibit, you notice the IPsec session is not establishing. What is the reason for this behavior?

- A. Mismatched proxy ID
- B. Mismatched peer ID
- C. Mismatched preshared key
- D. Incorrect peer address.

Answer: B

Explanation:

https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/policy-based-vpn -using-j-series-srxseries-device-configuring.html

3.Exhibit.

```
[edit security ike gateway advpn-gateway]
user@srx# show
                                          13
ike-policy advpn-policy;
address 192.168.3.1;
local-identity distinguished-name;
remote-identity distinguished-name container O=Juniper;
external-interface ge-0/0/3.0;
advpn {
   partner (
       disable;
    1
version v2-only;
edit interfaces)
 ser@srx$ show st0
 init 0 {
    multipoint;
     family inet (
         address 10.100.100.1/24;
     ł
```

Referring to the exhibit, a spoke member of an ADVPN is not functioning correctly. Which two commands will solve this problem? (Choose two.)

A. [edit interfaces]

user@srx# delete st0.0 multipoint

B. [edit security ike gateway advpn-gateway]

user@srx# delete advpn partner

C. [edit security ike gateway advpn-gateway]

user@srx# set version v1-only

D. [edit security ike gateway advpn-gateway]

user@srx# set advpn suggester disable

Answer: B,D

Explanation:

https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-auto-discovery-vpns.html

4. In which two ways are tenant systems different from logical systems? (Choose two.)

- A. Tenant systems have higher scalability than logical systems
- B. Tenant systems have less scalability than logical systems
- C. Tenant systems have fewer routing features than logical systems

D. Tenant systems have more routing features than logical systems

Answer: A,C

Explanation:

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/tenant-systems-

overview.html#:~:text=Although%20similar%20to%20logical%20systems,administrative%2 0domain%20for% 20security%20services

5.You must troubleshoot ongoing problems with IPsec tunnels and security policy processing. Your network consists of SRX340s and SRX5600s.

In this scenario, which two statements are true? (Choose two.)

- A. IPsec logs are written to the kmd log file by default
- B. IKE logs are written to the messages log file by default
- C. You must enable data plane logging on the SRX340 devices to generate security policy logs
- D. You must enable data plane logging on the SRX5600 devices to generate security policy logs

Answer: A,D