认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务


http://www.itrenzheng.com

Exam : JN0-691

Title : Junos Troubleshooting

Version: DEMO

1.Click the Exhibit button.



Referring to the exhibit, which two behaviors are expected if User B sends a frame with a destination MAC address of 00:26:88:02:74:88? (Choose two.)

- A. The frame will be received and processed by all host devices.
- B. The switch will receive and forward the frame.
- C. The frame will be received and processed by the User C device only.
- D. The switch will receive and discard the frame.

Answer: B,C

- 2. What are three physical interface properties? (Choose three.)
- A. clocking
- B. protocol family
- C. maximum transmission unit
- D. frame check sequence
- E. virtual circuit identifier

Answer: A,C,D

- 3. What are three valid types of boot media on a Junos device? (Choose three.)
- A. flash drive
- B. optical drive
- C. emergency boot media
- D. hard disk

E. NVRAM

Answer: A,C,D

4. You must verify end-to-end connectivity within your network.

Which two troubleshooting tools meet this objective? (Choose two.)

- A. ping
- B. SNMP
- C. traceroute
- D. RMON

Answer: A,C

5. You must prepare a list of files that can be deleted to recover space on a Junos device.

Which command will accomplish this task?

- A. show system storage
- B. request system storage cleanup
- C. request system download clear
- D. show system resource-cleanup

Answer: B