

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam:**            **M4040-513**

**Title :**            Power Systems with AIX  
                      Technical Sales  
                      Professional - v2

**Version : DEMO**

1.Which of the following is a POWER7 workload-optimizing feature?

- A.FFDC
- B.ASMI
- C.MinCore
- D.TurboCore

**Answer: D**

2.Which tool can be used in the sizing process to provide templates for workloads?

- A.WLE
- B.TDA
- C.SPT
- D.PM for Power Systems

**Answer: C**

3.Which statement for IBM POWER7 EnergyScale Enhancements is true?

- A.Smart Fan Control regulates fan speeds based on CPU workload.
- B.TPMD will allow POWER7 cores to "Over clock" if workload demands are present.
- C.TPMD Hardware is part of the base hardware configuration for enterprise servers only.
- D.Express servers need to be plugged into an IPDU extract power consumption, inlet and exhaust temperature data.

**Answer: B**

4.What is an expected output in the process of sizing a new system for a customer?

- A.Storage space requirements
- B.Expected hardware requirements
- C.Expected growth in data size
- D.Pricing and budget constraints

**Answer: C**

5.If a customer wanted to change the Integrated Virtual Ethernet adapter (IVE) currently installed in their Power 710 or Power 730 server, which option is valid?

- A.Order a different one later with MES order
- B.Use DLPAR and add the new card to the server.
- C.Run the AIX "rmdev" command, followed by the "cfgmgr" command.
- D.The card is hot-swap, so they could remove the current card and replace it with their new choice without powering down the server.

**Answer: C**