

IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

Exam : **P5050-031**

Title : IBM Worklight Mobile
Foundation Technical Sales
Mastery v1

Version : DEMO

1.Which authenticators are supported out of the box? (Choose three)

- A.Header authentication
- B.Persistent cookie authentication
- C.Form-based authentication
- D.Kerberos authentication

Answer: A,B,C

2.Once a Shell developer completes developing her Shell components, what is the proper way to distribute it to inner application developers?

- A.Zipping the Worklight project and emailing it to inner application developers
- B.Committing the Worklight project to a Source Control Management system and telling inner application developers to use source code from it
- C.The Shell developer should not distribute the Shell component to inner application developers. They should send their inner applications to her in order to build them
- D.Sending the .wshell Shell bundle file to inner application developers

Answer: D

3.When should the Shell development approach be considered?

- A.There are only two developers
- B.The company wants to create a number of mobile applications sharing a common native code base and authentication mechanism
- C.The company wants to create a native iOS and Android application, but its resources are limited
- D.The company has distributed development teams situated on different continents that must share the source code

Answer: B

4.What is messages.js file used for?

- A.This file contains the texts of application pop-up prompts
- B.This file contains the texts of error messages that application may show
- C.This is an internal framework file.It is used to store system messages for debugging purposes
- D.This file contains strings that can be used for application elements

Answer: D

5.Which OS uses an HTML generated tab-bar?

- A.iOS
- B.Android
- C.Blackberry
- D.Windows Phone

Answer: B