

Exam : PSE StrataDC

Title:Palo Alto Networks SystemEngineer Professional -
Strata Data Center

Version : DEMO

1. Which feature removes the limitation of requiring the first interface to be management?

- A. Management interface swap
- B. Utilize a separate Load Balancer VM
- C. Utilize a separate NAT VM.
- D. Dataport interface switch

Answer: B

2.In PAN-OS, which three NSX features can be pushed from Panorama? (Choose three)

- A. user IP mappings
- B. steering rules
- C. multiple authorization codes
- D. security group assignments of VMs
- E. security groups

Answer: A,C,E

3.What is a company that is moving as much of its business as possible into Microsoft Azure trying to minimize?

- A. capital expenses
- B. operating expenses
- C. security exposure
- D. operating expenses and capital expenses

Answer: B

4. How does Palo Alto Networks integrate with VXLAN tagging?

A. does not integrate with VXLAN tagging, so virtual appliances cannot be provided, but hardware appliances can be offered at the data center gateway border

B. integrates with VXLAN. but scripting is necessary, and Professional Services should be engaged

C. integrates fully into VXLAN architectures if they are provided by VMware

D. does not integrate natively with VXLAN tagging, network equipment can convert VXLAN flows to VLANs and send those VLANs to Palo Alto Networks firewalls

Answer: C

5. When deploying VM series on Openstack platform, which statement is correct?

- A. Allow configuration of at least one interface
- B. OpenStack compute node could be installed on a hypervisor platform
- C. Accept the VM-Series OVA image
- D. Set Instance type OS::Nova Server

Answer: B