

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam : VCS-277**

**Title :** Administration of Veritas  
NetBackup 8.0 and  
NetBackup Appliances 3.0

**Version : DEMO**

1.A restore has failed with the following job details:

```
1/7/2017 4:02:23 PM - Info tar32(pid=48292) Restore started.
1/7/2017 4:02:23 PM - connected; connect time: 00:00:08
1/7/2017 4:17:33 PM - Error bptm(pid=5112) error requesting media, TpErrno =
Robot operation failed
1/7/2017 4:17:35 PM - current media A12345 complete, requesting next resource
IBM.ULTRIUM - TD4.019:NetBackup:A12345
1/7/2017 4:17:41 PM - awaiting resource IBM.ULTRIUM-TD4.019:NetBackup:A12345 A
pending request has been generated for this resource request.
Operator action may be required. Pending Action: All drives down.,
Media ID: A12345, Barcode: A12345L4, Density: heart, Access Mode: Read,
Action Drive Name: N/A, Action media server: Media-02, Robot Number: 1, Robot
Type: TLD,
Volume Group: 000_00001_TLD, Action Acs: N/A, Action Lsm: N/A
```

Which two resources should the administrator use to troubleshoot this issue? (Select two.)

- A. the bpmediacommand
- B. the robtestcommand
- C. the operating system logs
- D. the logs from the NetBackup tar process
- E. the nbdevconfigcommand

**Answer:** DE

2.An administrator observes intermittent connectivity issues between the appliance and clients.

Which NetBackup Appliance Shell Menu (CLISH) command can the administrator use to assist in diagnosing the problem?

- A. Main\_Menu > Support > DataCollect
- B. Main\_Manu > Support > NBDNA
- C. Main\_Menu > Support > iostat
- D. Main\_Menu > Network > Show Status

**Answer:** A

**Explanation:**

Reference <https://ashraflinux.wordpress.com/2016/07/01/manually-collecting-the-datacollect-logs-from-netbackup-appliance/>

3.Where in the Backup, Archive, and Restore interface for Microsoft Windows can an administrator define the source and destination client for a restore job?

- A. File > Select Files and Folders to Restore
- B. File > NetBackup Client Properties > General
- C. File > NetBackup Client Properties > Host Properties
- D. File > Specify NetBackup Machines and Policy Type

**Answer:** A

**Explanation:**

Reference: [http://www.uni-jena.de/unijenamedia/NetBackup6\\_0\\_BAR\\_GS\\_Guide.pdf](http://www.uni-jena.de/unijenamedia/NetBackup6_0_BAR_GS_Guide.pdf)

4.Which two storage unit types can be configured in NetBackup? (Select two.)

- A. Deduplication

- B. NDMP
- C. Robot
- D. Media Manager
- E. Tape

**Answer:** BD

**Explanation:**

Reference: [https://www.veritas.com/support/en\\_US/article.000117525](https://www.veritas.com/support/en_US/article.000117525)

5.NetBackup has frozen some of the tapes added to the robot.

Which log must be enabled to determine why the tapes were frozen?

- A. Itid
- B. robots
- C. bptm
- D. vmd

**Answer:** C

**Explanation:**

Reference: <https://vox.veritas.com/t5/NetBackup/Active-tapes-not-being-utilized/td-p/251695>