

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **050-CSEDLPS**

**Title** : CSE RSA Data Loss  
Prevention 6.0

**Version** : Demo

1.Which of the following components is required to monitor/block HTTPS traffic in DLP Network?

- A. Span Port
- B. Bluecoat Proxy
- C. Network Sensor
- D. Network Controller

**Answer: B**

2.Incidents that are created as the result of RSA DLP agent scan on an end user's computer will be categorized as Datacenter Incidents.

- A. True
- B. False

**Answer: A**

3.RSA DLP Endpoint Enforce uses the same infrastructure as RSA DLP Endpoint Discovery.

- A. True
- B. False

**Answer: A**

4.Any ICAP client Proxy server can communicate with the ICAPserver by default. Which configuration file is used to limit which Client proxy can connect to the ICAPserver appliance?

- A. ICAP.cnf
- B. ICAP.conf
- C. proxy.conf
- D. c-ICAP.conf

**Answer: D**

5.Which of the following is NOT a component of the RSA DLP Suite?

- A. Network
- B. Endpoint
- C. Filesystem
- D. Datacenter

**Answer: C**

6.The RBC Company is performing datacenter scans on file shares within the corporate network. The scans are permanent scans. Which of the following would require clearing the results of the previous scan and performing a new complete scan?

- A. New Grid Workers
- B. New Grid Scan Group
- C. New content blade in policy
- D. Change of Operating System

**Answer: C**

7.A Linux based version of the DLP Enterprise Coordinator is installed on the RSA DLP Network controller.

- A. True
- B. False

**Answer: B**

8.Which of the following is NOT available as an option in Incident handling rules for DLP Network or Datacenter?

- A. Quarantine end user action
- B. Assign Incident to User or Group
- C. Set incident severity to a different setting
- D. Automatically close an incident if severity level is low

**Answer: A**

9.Which appliance can be set in scan and tag mode

- A. Network Sensor
- B. Network Controller
- C. Network Interceptor
- D. Network ICAPserver

**Answer: C**

10.DLP network can decompress files that are compressed and analyze the contents of compressed files. What is the maximum number of times, a file can be compressed before the e system cannot handle the decompression/analysis of an attachment or transmission.

- A. 20 levels of compression
- B. 50 levels of compression
- C. 75 levels of compression
- D. 100 level of compression

**Answer: A**