

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **210-250**

**Title** : Understanding Cisco  
Cybersecurity  
Fundamentals

**Version** : DEMO

1.Which definition of a fork in Linux is true?

- A. daemon to execute scheduled commands
- B. parent directory name of a file path name
- C. macros for manipulating CPU sets
- D. new process created by a parent process

**Answer:** D

2.Which identifier is used to describe the application or process that submitted a log message?

- A. action
- B. selector
- C. priority
- D. facility

**Answer:** D

**Explanation:**

Reference: <https://www.tutorialspoint.com/unix/unix-system-logging.htm>

3.Which protocol is expected to have a user agent, host, and referrer header in a packet capture?

- A. NTP
- B. HTTP
- C. DNS
- D. SSH

**Answer:** B

4.Which evasion method involves performing actions slower than normal to prevent detection?

- A. traffic fragmentation
- B. tunneling
- C. timing attack
- D. resource exhaustion

**Answer:** C

**Explanation:**

Reference: [https://books.google.by/books?id=KlWLSddtAWsC&pg=PA58&lpg=PA58&dq=timing+attack+performing+actions+slower+than+normal+to+prevent+detection&source=bl&ots=9qu7ywV-mX&sig=\\_9lwcDDq-WNaYIEeP7Vkr0MPAOE&hl=en&sa=X&redir\\_esc=y#v=onepage&q=timing%20attack%20performing%20actions%20slower%20than%20normal%20to%20prevent%20detection&f=false](https://books.google.by/books?id=KlWLSddtAWsC&pg=PA58&lpg=PA58&dq=timing+attack+performing+actions+slower+than+normal+to+prevent+detection&source=bl&ots=9qu7ywV-mX&sig=_9lwcDDq-WNaYIEeP7Vkr0MPAOE&hl=en&sa=X&redir_esc=y#v=onepage&q=timing%20attack%20performing%20actions%20slower%20than%20normal%20to%20prevent%20detection&f=false)

5.Which type of attack occurs when an attacker is successful in eavesdropping on a conversation between two IP phones?

- A. replay
- B. man-in-the-middle
- C. dictionary
- D. known-plaintext

**Answer:** B