

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **351-050**

**Title** : **CCIE™ Wireless Written  
(v2.0)**

**Version** : **DEMO**

1.Which two security features are associated with a wireless network employing 802.11i configured as a Robust Security Network? (Choose two.)

- A. WEP
- B. AES-CCMP
- C. 802.11x
- D. IPsec
- E. TKIP
- F. 802.1x

**Answer:** B,F

2.Before conducting a passive RF site survey with a standalone AP, which two of these should be statically configured on the AP? (Choose two.)

- A. passive client
- B. channel assignment
- C. DTPC
- D. Tx power level
- E. channel scan defer priority

**Answer:** B,D

3 .After interviewing a customer to understand wireless client requirements, you determine that 802.11b must be enabled to support legacy clients within a mixed-mode environment.

Which recommendation will have the greatest impact on mitigating the effects of 802.11b clients on the rest of the network?

- A. Restrict OFDM modulation from being used.
- B. Make 11 Mb/s the lowest mandatory rate.
- C. Enable a separate SSID for 802.11b clients.
- D. Enable a short preamble.

**Answer:** B

4.In a Cisco Unified Wireless Network environment, which two of these are required in order for clients to connect with MCS data rates? (Choose two.)

- A. EDCA
- B. client MFP
- C. multiple spatial streams
- D. AES-CCMP
- E. 40-MHz channels

**Answer:** A,D

5.The 802.11-2007 standard includes which two amendments to the original 802.11 standard? (Choose two.)

- A. 802.11c
- B. 802.11d
- C. 802.11j
- D. 802.11r

E. 802.11u

**Answer:** B,C