

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam : DCP-315C**

**Title : Lenovo Data Center  
Technical Sales Certification  
Exam**

**Version : DEMO**

1. Your customer needs a blade server.

Which two ThinkSystem products will meet their need? (Choose two)

- A. ST550
- B. SR550
- C. SR850
- D. SN850
- E. SN550

**Answer:** DE

2. The XClarity Controller provides remote server management through industry-standard protocols and interfaces.

Which two options are supported with XClarity Controller? (Choose two)

- A. Simple Mail Transfer Protocol (SMTP)
- B. XClarity Mobile App via Bluetooth protocol
- C. Common Information Model Object Manager (CIMOM)
- D. Simple Network Management Protocol (SNMP) Version 3
- E. Intelligent Platform Management Interface (IPMI) Version 2.0

**Answer:** AE

3. Your customer is going to deploy a Flex System with 14 compute nodes in a very dusty environment where temperatures up to 45 °C (113 °F) are common.

Which solution is required for this deployment?

- A. Flex System Carrier-Grade Chassis with two additional fans and the advanced cooling kit (ACK)
- B. Flex System Enterprise Chassis
- C. Flex System Enterprise Chassis with two additional fans and the advanced cooling kit (ACK)
- D. Flex System Carrier-Grade Chassis

**Answer:** D

4. Your customer requires a cost-effective 4-socket, 2U rack system for a transactional database, OLTP, and ERP/CRM workloads.

Which product will meet this requirement?

- A. SR950
- B. SD530
- C. SR850
- D. SR650

**Answer:** A

5. Your customer has implemented a new Disaster Recovery solution utilizing 14 SR630 nodes with redundant cabling and a single DS6200 SAN with an iSCSI protocol. They want to use cost-effective CAT6A cables for connection from the servers, while using DAC cables to connect to the SAN.

Which switches should be recommended?

- A. NE10032
- B. NE1032T
- C. NE1032

D. NE2572

**Answer: C**