

# IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

**Exam** : **HP0-T01**

**Title** : HP Performance Insight v5  
xsoftware

**Version** : DEMO

**1. Where is the user's property configuration file located?**

- A. {DPIPE\_HOME}\jrun\servers\piweb\properties\userproperties
- B. {DPIPE\_HOME}\jrun\servers\piweb\tw-app\webview\properties\userproperties
- C. {DPIPE\_HOME}\lib\users\properties
- D. {DPIPE\_HOME}\lib\data\users\properties

**Correct: B**

**2. What is the recommended RAID configuration for HPPI implementation?**

- A. RAID 0
- B. RAID 1
- C. RAID 1 + 0
- D. RAID 5

**Correct: C**

**3. A node list must contain the following items, each separated by commas. Which items can be used in a node list file?**

- A. node name, read community string, snmp port #, snmp profile
- B. an option group contains only polling policies
- C. node\_name, node\_number, description, SNMPV2
- D. node\_number, node description, SNMP profile, SNMP V1

**Correct: A**

**4. What are some of the integration points between NNM and HPPI?**

- A. NNM node discovery, HPPI report launching by NNM, HPPI trap generation
- B. NNM node type discovery, NNM Web Console operation in HPPI
- C. Node discovery, node type discovery, remote management console operation
- D. NNM remote report launching, HPPI node discovery used by NNM, HPPI operation of NNM Web console

**Correct: A**

**5. If the report pack installation fails, where can you find the details of the errors?**

- A. {DPIPE\_HOME}\logs\install\reportpacks.log
- B. {DPIPE\_HOME}\logs\report\_.log
- C. {DPIPE\_HOME}\logs\reportpacks/.log
- D. {DPIPE\_HOME}\logs\install/.log

**Correct: B**

**6. How can you verify that data is actually being collected from devices?**

- A. The number of rows should be increasing in the data table (rate, hourly..).
- B. The lkeys tables should always have rows in them.
- C. Look in the upload tables and see if there are any rows in them.
- D. Look for errors in the ovpi.log file.

**Correct: A**

**7. Where do you verify that the collections are being run?**

- A. {SYBASE}\install\errorlog.log
- B. {DPIPE\_HOME}\logs\install.log
- C. {TREND\_LOG}\trend.log
- D. {DPIPE\_HOME}\log\trendtimer.log

**Correct: C**

**8.Which user interfaces can be used for un-deploying Reports? Select TWO.**

- A.trend\_timer
- B.trend\_copy
- C.Catalog Manager
- D.trend\_deployer
- E.Package Manager

**Correct:C E**

**9.Deployed Reports are registered within the file \_\_\_\_\_.**

- A.{DPIPE\_HOME}/reports/deploy/deploy.conf
- B.{DPIPE\_HOME}/reports/deploy.conf
- C.{DPIPE\_HOME}/reports/deploy/deploy.xml
- D.{DPIPE\_HOME}/reports/deploy.xml

**Correct:C**

**10.Where will hourly data reside if Location Independent Reporting data mapping is created for a property table with the time type specified as ourly??ourly?**

- A.Only on the Central server
- B.Only on the Satellite server
- C.Remote Poller
- D.Both the Satellite and Central server

**Correct:B**