IT认证电子书

质　量　更　高　　服　务　更　好

半年免费升级服务

http://www.itrenzheng.com

Exam : **JN0-311**

Title : WX, Associate(JNCIA-WX)

Version : DEMO

1.Which two configurations are made using the QoS Setup Wizard? (Choose two.)
A. Assign applications to traffic classes.
B. Use ToS/DSCP values for traffic classes.
C. Exclude subnets from QoS management.
D. Select dedicated vs. over-subscribed circuits.
Answer: A,D

2.Which three locations in WebView allow you to confirm that the endpoints are configured properly? (Choose three.)
A. Monitor > Endpoints
B. Acceleration > Endpoints
C. Device Setup > Endpoints
D. Compression > Endpoints
E. Admin > Maintenance > Display Configuration
Answer: A,D,E

3.When defining an application for AppFlow acceleration, which two must be configured on the WX device? (Choose two.)
A. Define application type.
B. Enable AppFlow for the application.
C. Enable monitoring for the application.
D. Define source and destination IP addresses.
Answer: A,B

4.What are three key prE.installation/configuration considerations when deploying a WX device? (Choose three.)
A. cabling
B. community topology
C. requires a license key
D. requires two IP addresses
E. registration server designation
Answer: A,B,E

5.Why is SNMPv2 used to monitor the WX platform?
A. SNMPv1 is read only on WX devices.
B. SNMPv1 is not supported by WX devices.
C. SNMPv2 supports both 32- and 64-bit counters.
D. SNMPv2 does put and get commands to WX devices.
Answer: C