

IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

Exam: M4040-512

Title : Power Systems with AIX
Sales Professional - v2

Version : DEMO

1.Which solution is ideal for near continuous application service with low Recovery Time Objective (RTO) and zero Recovery Point Objective?

- A.PowerHA DB2 pureScale
- B.PowerHA SystemMirror Standard Edition
- C.PowerHA SystemMirror Enterprise Edition
- D.Tivoli System Automation for Multiplatforms

Answer: B

2.Which is true about the FC #5708 10Gb Fibre Channel over Ethernet (FCoE) PCIe Dual Port Adapter?

- A.It saves the customer from purchasing FCoE switches.
- B.It supports four ports for fiber-channel or Ethernet traffic.
- C.It connects to the midplane of the BladeCenter S chassis to support mixed traffic.
- D.It should be connected to a FCoE switch when supporting mixed traffic.

Answer: A

3.Which interconnect is used by the PCIe 19" 12X DDR Remote I/O Drawers?

- A.RIO
- B.SCSI
- C.PCI-X
- D.InfiniBand 2

Answer: A

4.Allowing clients to create, monitor, manage and remove collections of physical and virtual resources (called System pools) requires which of the following products?

- A.PowerVM Enterprise Edition
- B.VMControl Enterprise Edition
- C.VM Control Standard or EnterpriseEdition
- D.VMControl Express, Standard or Enterprise Edition

Answer: C

5.POWER7 processors have which advantage over prior POWER processors?

- A.eDRAM-based on-chip L3 cache
- B.Simultaneous Multi Threading (SMT)
- C.Simultaneous Multi Processing (SMP)
- D.Enhanced Distributed Switch technology

Answer: B