


## Exam : 250-253

# Title: Administration of VeritasCluster Server 6.0 for Unix

# Version : DEMO

## 1.Refer to the exhibit.



The exhibit shows an N-to-1 cluster configuration, in which nodes are connected to storage devices via dual-hosted SCSI cables.

Why is this an inefficient configuration?

- A. Storage should be shared by more than two nodes.
- B. Clusters should have at most two nodes.
- C. NAS is preferred over SAN for shared storage.
- D. NFS is the preferred way to share storage within a cluster.

### Answer: A

2. What does Network Monitor use to identify network traffic going to a nonstandard port?

- A. The originating domain
- B. Total packet size
- C. Either UDP or TCP
- D. Protocol signature

#### Answer: D

3.While Veritas Cluster Server supports nodes in a cluster using different hardware or operating system versions, this is potentially undesirable for which two reasons? (Select two.)

- A. User security
- B. Inability to handle load on failover
- C. Cluster upgrades
- D. Operational complexity
- E. Network connectivity
- Answer: B,D

4. What are two operating systems supported by Veritas Cluster Server? (Select two.)

- A. Fedora
- B. Red Hat Enterprise Server
- C. openSuSe
- D. Mac OS

E. AIX **Answer:** B,E

- 5. What is a characteristic of the web-based installer?
- A. It can be automated with a response file.
- B. It can be run using Internet Explorer, Firefox, or Safari.
- C. It can install on multiple operating systems at the same time.
- D. It runs the same commands as the command line installer.

Answer: D