

IT 认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

<http://www.itrenzheng.com>

Exam : **922-079**

Title : BCM50 Ris.2.0 &
BCM200/400 Ris.4.0
Config.& Maintenance

Version : DEMO

1. What is the maximum number of Enhanced Key Expansion Modules (EKEMs) supported by the BCM50 system?

- A.1 EKEM per IP phone and 10 sets per system
- B.2 EKEMs per IP phone and 12 sets per system
- C.3 EKEMs per IP phone and 16 sets per system
- D.5 EKEMs per IP phone and 12 sets per system

Answer: D

2. Which BCM200/400 specialized module lets the BCM share its connection to a Universal T1 network with a WAN to provide a combination of voice and data channels?

- A.Fiber Expansion Module (FEM)
- B.Digital Drop and Insert MUX (DDIM)
- C.R2 Multi-Frequency Compelled module (R2MFC)
- D.Digital enhanced cordless telecommunications module (DECT)

Answer: B

3. Which specialized module connects a maximum of six Norstar expansion modules to the BCM200/400?

- A.Fiber Expansion Module (FEM)
- B.Digital Drop and Insert MUX (DDIM)
- C.R2 Multi-Frequency Compelled module (R2MFC)
- D.Digital Enhanced Cordless Telecommunications module (DECT)

Answer: A

4. On a company's default system, six buses of DS30 channel blocks are assigned to Media Bay Modules (MBMs) (2/6 channel split). The DS30 allocation needs to be changed to a 3/5 split to accommodate increased IP telephony requirements.

Which statement about how this change can be accomplished is true?

- A.The BCM 200/400 assigns bus 6 to the voice data sector.
- B.The BCM 200/400 assigns bus 7 to the voice data sector.
- C.The BCM 200/400 assigns bus 6 to the voice data sector through the MBM dip switches.
- D.The BCM 200/400 assigns bus 7 to the voice data sector, although all telephony programming will be defaulted.

Answer: B

5. A customer with a BCM400 has a requirement of one T1, six PSTN analog lines and 12 digital telephones.

What are the minimum Media Bay Module (MBM) requirements?

- A.one DTM and one G8X16
- B.one BRIM and one GASM8
- C.one GATM8 and one G4X16
- D.one GATM4 and one DSM16+

Answer: A