认证电子书



质 量 更 高 服 务 更 好

半年免费升级服务

http://www.itrenzheng.com

Exam : 642-996

Title : Designing Cisco Data

Center Unified Fabric

(DCUFD)

Version: DEMO

- 1. What is one example of typical business requirements that are driving the design of installed base data centers?
- A. IT reorganization
- B. virtualization
- C. greater collaboration
- D. physical space

Answer: C

- 2. What documents are not typically an output that is deliverable from the design phase?
- A. high-level design
- B. site requirements specification
- C. troubleshooting procedures
- D. migration plan

Answer: C

- 3. What is the most common design requirement when creating a data center solution?
- A. high availability with disaster recovery
- B. multicore CPU servers
- C. traffic inspection for inbound traffic
- D. virtualization of network resources

Answer: A

- 4. What is a typical output of the design planning phase that characterizes an existing data center?
- A. a high-level conceptual architecture proposal
- B. a gap analysis
- C. a verification plan
- D. reactive fault detection and correction

Answer: B

- 5. Which two characteristics are associated with the core layer of a Data Center Unified Fabric network? (Choose two.)
- A. no packet manipulation
- B. QoS—policing
- C. voice, data, and wireless convergence
- D. scalable routing protocols like OSPF
- E. Layer 2 default gateway redundancy
- F. QoS—classification and queuing

Answer: A, D